

4



(12) **EUROPEAN PATENT APPLICATION**

(43) Date of publication:
11.11.1998 Bulletin 1998/46

(51) Int Cl.⁶: **C02F 5/10, C11D 3/37**

(21) Application number: **98303438.0**

(22) Date of filing: **01.05.1998**

(84) Designated Contracting States:
AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU
MC NL PT SE
 Designated Extension States:
AL LT LV MK RO SI

- **Shulman, Jan**
Newtown, Pennsylvania 18940 (US)
- **Weinstein, Barry**
Dresher, PA 19025 (US)
- **Keenan, Andrea**
Plymouth Meeting, Pennsylvania 19462 (US)
- **Duccini, Yves**
60000 Beauvais (FR)

(30) Priority: **09.05.1997 FR 9705739**

(71) Applicant: **ROHM AND HAAS COMPANY**
Philadelphia, Pennsylvania 19106-2399 (US)

(72) Inventors:
 • **Gauthier, Francois**
60550 Verneuil en Halatte (FR)

(74) Representative: **Davis, Carole Amanda et al**
Rohm and Haas (UK) Limited
European Operations Patent Dept.,
Lennig House,
2 Mason's Avenue
Croydon, Surrey CR9 3NB (GB)

(54) **Scale inhibitors**

(57) The invention relates to the inhibition of (poly) phosphate scale in aqueous systems involving the use of at least one copolymer comprising the following monomers in polymerized form:-

- (I) 50-08% by weight of one or more weak acids;
- (II) 2-50% by weight of one or more strong acids;
- (III) 0-30% by weight of one or more monoethylenically unsaturated C₄-C₈ dicarboxylic acids; and

(IV) 0-30% by weight of one or more monoethylenically unsaturated monomers polymerizable with (I), (II) and (III);

wherein the total of monomers (I), (II), (III) and (IV) equals 100% by weight of copolymer.

The invention is particularly suited to the inhibition of (poly)phosphate scale which occurs as a result of using low phosphate (STPP) containing detergent formulations.

EP 0 877 002 A2

Description

The present invention relates to the inhibition of (poly)phosphate salt scale in aqueous systems.

It is well known that in hard water areas high concentrations of magnesium and calcium ions can lead to the formation of insoluble calcium and magnesium carbonate deposits (scaling) on washed articles. This is visible, as a white deposit, particularly on glassware when such articles are washed in automatic dishwashing machines, and also on machine parts especially heater elements. Similar precipitation problems also occur in laundry washing, these cause the fabric to become stiff and rough to the touch and give coloured fabrics a faded appearance. Tap water with relatively high water hardness and the use of insufficient water softening chemicals increase the problem dramatically. Other factors involved in causing scaling are temperature (more scaling occurs at higher temperatures) and pH (higher pH also increases scaling). Since the mid 1960's, sodium tripolyphosphate (STPP) has been used in large quantities in most detergent formulations as a "builder"; that is an agent which is able to sequester positive cations such as magnesium and calcium in the washing solution and prevent them from depositing as salts (carbonate, silicate etc.) on the items being washed.

However, it is now known that the presence of phosphate, for example in the form of STPP, in lakes and rivers serves as a nutrient for algae growth and this results in a deterioration of water quality. These environmental concerns have lead to the removal of STPP in detergent formulations and their replacement with other sequestering compounds. Unfortunately, the changes that occur in the washing process without inclusion of phosphate are more complex than those expected from the simple decrease in sequestration capacity of the detergent matrix. The multi-purpose capabilities of the STPP in the areas of emulsification of oily particles, stabilisation of solid soil suspension, peptisation of soil agglomerates, neutralisation of acid soils, etc. are all key to obtaining an excellent wash end result.

To try to maintain as many of the desirable properties of STPP as possible, whilst at the same time limiting its environmental impact, reduced STPP levels are used. However, this in itself brings new scaling problems. When high levels of STPP are used in the wash bath of dishwashing and laundry washing machines, the predominant species formed in the aqueous system is a water soluble 1:1 metal ion:STPP complex (eg. $\text{CaP}_3\text{O}_{10}^{-3}$). As STPP levels decrease, water insoluble calcium and magnesium salts of triphosphosphate (eg. $\text{Ca}_5(\text{P}_3\text{O}_{10})_2$) and pyrophosphate (eg. $\text{Ca}_2\text{P}_2\text{O}_7$) are formed which consequently precipitate from the aqueous system.

Prior art documents are known, for example US 3806367, US 3928196, and US 3898037, which address the problem of controlling scale in STPP free systems. However, there is no teaching of any effective way to control the (poly)phosphate scales which are formed using low-STPP levels (ie. through the use of "Ultra" or "Compact" detergent formulations) where the concentration of the STPP in the wash bath is, for example, below 1500 ppm. The precise amount of scale observed will depend upon the concentration of divalent cation in the wash bath. For comparison, typical high-STPP wash bath concentrations in current commercial use, have greater than 2000 ppm of STPP.

The term "(poly)phosphate scale" used herein refers to phosphate, triphosphosphate and pyrophosphate scales collectively. Also, the term "copolymer" is used to mean polymers comprising two or more different types of monomer units in polymerized form. Thus the term "copolymer" specifically includes the term "terpolymer".

The problem addressed by the present invention, therefore, is to provide a method of controlling (poly)phosphate salt scale in aqueous systems and to also provide detergent formulations which have good anti-filming performance characteristics when used in machine dishwashing detergents and good anti-encrustation and anti-deposition performance characteristics when used in laundry washing detergents.

Accordingly, the present invention provides a method of controlling (poly)phosphate scale comprising treating the aqueous system with at least one copolymer comprising the following monomers in polymerized form:-

- (I) 50-98% by weight of one or more weak acid;
- (II) 2-50% by weight of one or more strong acid;
- (III) 0-30% by weight of one or more monoethylenically unsaturated C_4 - C_8 dicarboxylic acid; and
- (IV) 0-30% by weight of one or more monoethylenically unsaturated monomers polymerizable with (I), (II), and (III);

wherein the total of monomers (I), (II), (III) and (IV) equals 100% by weight of copolymer.

The invention further provides a method of controlling (poly)phosphate scale in aqueous systems comprising treating the aqueous system with at least one copolymer comprising the following monomers in polymerized form:-

- (I) 50-98% by weight of one or more monoethylenically unsaturated C_3 to C_6 monocarboxylic acid;
 - (II) 2-50% by weight of one or more unsaturated sulphonic acid;
 - (III) 0-30% by weight of one or more monoethylenically unsaturated C_4 to C_8 dicarboxylic acid;
 - (IV) 0-30% by weight of one or more monoethylenically unsaturated monomer polymerizable with (I), (II) and (III);
- wherein the total of monomers (I), (II), (III) and (IV) equals 100% by weight of the copolymer.

Preferably, the copolymer comprises polymerized units of the following monomers:

- (I) 50-90% by weight of one or monoethylenically unsaturated C₃-C₆ monocarboxylic acid;
- (II) 10-50% by weight of unsaturated sulphonic acid;
- (III) 0-30% by weight of one or more monoethylenically unsaturated C₄-C₈ dicarboxylic acid; and
- (IV) 0-30% by weight of one or more monoethylenically unsaturated monomer polymerizable with (I), (II) and (III), wherein the total of monomers (I), (II) (III) and (IV) equals 100% by weight of the copolymer.

Advantageously, the copolymer of the present invention comprises polymerized units of the following monomers:-

- (I) 60-90% by weight of one or monoethylenically unsaturated C₃-C₆ monocarboxylic acid
- (II) 10-40% by weight of unsaturated sulphonic acid;
- (III) 0-30% by weight of one or more monomethylenically unsaturated C₄-C₈ dicarboxylic acid; and
- (IV) 0-30% by weight of one or more monoethylenically unsaturated monomer polymerizable with (I), (II) and (III), wherein the total of monomers (I), (II) (III) and (IV) equals 100% by weight of the copolymer.

A copolymer with particularly good (poly)phosphate scale inhibition properties comprises polymerized units of the following monomers:-

- (I) 77% by weight of one or monoethylenically unsaturated C₃-C₆ monocarboxylic acid
- (II) 23% by weight of unsaturated sulphonic acid.

The monoethylenically unsaturated C₃-C₆ monocarboxylic acid is preferably (meth)acrylic acid.

The unsaturated sulphonic acid monomer is preferably one of the following: 2-acrylamido methyl-1-propanesulphonic acid, 2-methacrylamido-2-methyl-1-propanesulphonic acid, 3-methacrylamido-2-hydroxy-propanesulphonic acid, allylsulphonic acid, methallylsulphonic acid, allyloxybenzenesulphonic acid, methallyloxybenzenesulphonic acid, 2-hydroxy-3-(2-propenyloxy)propanesulphonic acid, 2-methyl-2-propene-1-sulphonic acid, styrene sulphonic acid, vinylsulphonic acid, 3-sulphopropyl acrylate, 3-sulphopropyl methacrylate, sulphomethylacrylamide, sulphomethylmethacrylamide, and water soluble salts thereof.

The monoethylenically unsaturated C₄-C₈ dicarboxylic acid is preferably maleic acid, and the monoethylenically unsaturated monomer polymerizable with (I), (II) and (III) is preferably selected from one or more of C₁-C₄ alkyl esters of (meth)acrylic acid; C₁-C₄ hydroxyalkyl esters of (meth)acrylic acid; acrylamide; alkyl substituted acrylamide; N,N-dialkyl substituted acrylamides; sulphonated alkyl acrylamides; vinylphosphonic acid; vinyl acetate; allyl alcohols; sulphonated allyl alcohols; styrene and similar monomers; acrylonitrile; N-vinylpyrrolidone; N-vinylformamide; N-Vinylimidazole; and N-vinylpyridine.

The weight average molecular weight of the copolymer according to the present invention is from 3,000 to 50,000 and preferably from 4,500 to 35,000.

The present invention also provides a detergent formulation comprising at least one copolymer comprising polymerized units of the following monomers:

- (I) 50-98% by weight of one or more monoethylenically unsaturated C₃ to C₆ monocarboxylic acid;
- (II) 2-50% by weight of one or more unsaturated sulphonic acid;
- (III) 0-30% by weight of one or more monoethylenically unsaturated C₄ to C₈ dicarboxylic acid;
- (IV) 0-30% by weight of one or more monoethylenically unsaturated monomer polymerizable with (I), (II) and (III); wherein the total of monomers (I), (II), (III) and (IV) equals 100% by weight of the copolymer.

The invention will now be further illustrated by the following examples.

General Screening Method

Polymers according to the present invention were evaluated for calcium tripolyphosphate precipitation inhibition in a phosphate containing automatic dishwashing detergent formulation, and by titrating a 750 ppm STPP solution with incremental levels of water hardness (2/1 Ca⁺⁺/Mg⁺⁺) at elevated temperatures (55°C) and a fixed polymer concentration (100 ppm). The onset of turbidity was measured utilizing a Brinkmann PC 701 Probe Colorimeter (520nm), and the experiment was concluded with the observation of a visible precipitate.

Detergent Formulations**Table 1 - Detergent Formulations**

Component	Det. Form 1 Concentration (%)	Det. Form 2 Concentration (%)
STPP	20.0	35.0
Soda Ash	30.0	22.0
Sodium disilicate (Britesil H20)	12.0	12.0
Sodium citrate dihydrate	10.0	-
Sodium perborate .4H ₂ O	7.5	7.5
Bleach activator (TAED)*	2.5	2.5
Surfactant (SLF-18)	3.5	3.5
Protease	1.0	1.0
Amylase	0.5	0.5
Sodium sulphate	9.0	14.0
Polymer	4.0	2.0

* TAED is tetra acetyl ethylene diamine

Detergent formulation 1 is a low STPP containing formulation whereas detergent formulation 2 contains a high percentage of STPP.

Key to acronyms used herein:

Mw = weight average molecular weight. All molecular weights quoted are weight average molecular weight unless otherwise specified.

AA = Acrylic acid

Mal = Maleic acid

AMPS = 2-acrylamido-2-propane sulphonic acid

TBAM = tertbutylacrylamide

TOAM = tertoctylacrylamide

DMAM = Dimethylacrylamide

EA = Ethyl acrylate

HPA = Hydroxypropyl acrylate

STY = Styrene

SMAS = Sodium methallyl sulphonate.

MAA = Methyl acrylic acid.

Dishwashing Conditions

The anti-filming performance in dishwashing applications of polymers according to the present invention were also

tested using conventional procedures; under one or either of the following conditions, (A) or (B):-

(A) US Washing Conditions

Dishwashing machine: Whirlpool model DU 940
 Water Hardness: 300 ppm as calcium carbonate (Ca/Mg=3.5:1)
 No food soil
 Normal Programme (50°C)
 No Rinse Aid
 Dishwares: glasses
 Cycles: 5

Filming Scores	0.0 = No visible film	2 = Intermediate
	0.5 = Barely Perceptible	3 = Moderate
	1.0 = Slight	4 = Heavy

(B) European Washing Conditions

Dishwashing machine: Miele Deluxe model G590 SC
 Water Hardness: 600 ppm as calcium carbonate (Ca/Mg=3.5:1)
 No food soil
 Normal Programme (65°C)
 No Rinse Aid
 Dishwares: glasses
 Cycles: 5

Filming Scores	0.0 = No visible film	2 = Intermediate
	0.5 = Barely Perceptible	3 = Moderate
	1.0 = Slight	4 = Heavy

EXAMPLE 1

The Effect of AMPS Containing Copolymer on the Inhibition of Calcium Tripolyphosphate

Copolymer containing solutions were evaluated according to the general screening method described above to give the results shown in Figure 1. In summary, the calcium tripolyphosphate antiprecipitation improves as the level of AMPS in the copolymer increases up to 50% AMPS; at levels greater than 50% AMPS, the inhibition of tripolyphosphate scale starts to decrease.

EXAMPLE 2

The Effect of AMPS Containing Copolymer on Filming.

Copolymers according to Example 1 were included in various automatic dish washing detergent formulations and were tested under wash conditions (A). Table 2 shows the glass filming scores obtained; these confirm the observation that increasing AMPS levels up to 50% increases inhibition of (poly)phosphate scale.

Table 2

Polymer	Molecular Weight	Filming Score Det. Form 1	Filming Score Det. Form 2
No Polymer	-	3.5	3.0
100AA (Comparative)	2,000	1.5	1.75
100AA (Comparative)	4,500	1.1	2.0
90 AA/10 Mal (Comp)	3,200	1.3	1.75
80 AA/20 Mal (Comp)	16,000	1.2	1.3
70 AA/30 Mal (Comp)	30,000	1.0	2.0
50 AA/50 Mal (Comp)	3,500	1.1	1.2
50 AA/50 Mal (Comp)	25,000	1.1	2
30 AA/70 Mal (Comp)	5,500	1.4	1.2
95 AA/5 EA (Comp)	2,500	1.75	2.5
80 AA/20 EA (Comp)	4,300	1.25	1.1
70 AA/30 MAA (Comp)	3,500	1.1	1.0
77 AA/23 AMPS	4,500	0.5	0.6
60 AA/40 AMPS	10,000	0.5	0.3
77 AA/23 SMAS	6,600	0.8	0.9
60 AA/40 SMAS	3,870	0.3	

EXAMPLE 3**The Effect of the Molecular Weight of AMPS Containing Copolymers on the Inhibition of Calcium Triphosphate**

Copolymer-containing solutions were evaluated according to the general screen method described above to give the results in Figure 2. This Example focuses on the effect of molecular weight of the copolymers at two different AA/AMPS molar ratios. In both cases, increasing the molecular weight of the copolymer significantly enhances the tripolyphosphate antiprecipitation properties of the copolymer. The particle size of the precipitated scale was visibly smaller (higher transmittance) with higher molecular weight analogues.

EXAMPLE 4**The Effect of AMPS Containing Terpolymers on the Inhibition of Calcium Triphosphate**

Solutions containing AA/AMPS/X terpolymers (where X is another monomer unit which is not AA or AMPS) were tested using the general screening method described above. The results are presented in Figure 3 and from these it is observed that (poly)phosphate scale inhibition by AA/AMPS/X terpolymers, at approximately constant molecular weight, increases with increasing AMPS levels.

EXAMPLE 5**The Effect of AA/AMPS/Hydrophobe Terpolymers on the Inhibition of Calcium Tripolyphosphate**

AA/AMPS/hydrophobe terpolymers were tested using the general screening described above; the results are illustrated in Figure 4. It is observed that AA/AMPS/Hydrophobe terpolymers exhibit favourable calcium phosphate scale inhibition, as compared with the control and comparative samples.

EXAMPLE 6**The Effect of AA/AMPS/Hydrophobe Terpolymers on Filming**

AA/AMPS/Hydrophobe terpolymers were tested in detergent formulations, DF 1 and DF2, under wash conditions (A). The results are given in table 3 below; it is found that AA/AMPS/Hydrophobe terpolymers exhibit favourable (poly) phosphate film inhibition when compared against the control and comparative samples.

Table 3

Polymer	Molecular Weight	Filming Score Det. Form 1	Filming Score Det. Form 2
No Polymer	-	3.5	3.0
100AA (Comparative)	4,500	1.1	2.0
90 AA/10 Mal (Comp)	3,200	1.3	1.75
70 AA/30 Mal (Comp)	30,000	1.0	2.0
50 AA/50 Mal (Comp)	25,000	1.1	2
30 AA/70 Mal (Comp)	5,500	1.4	1.2
95 AA/5 EA (Comp)	2,500	1.75	2.5
70 AA/30 MAA (Comp)	3,500	1.1	1.0
62 AA/23 AMPS/15 TBAM	24,800	0.4	0.5
64.5 AA/27 SMAS/8.5 TBAM	5,130	0.8	
64.5 AA/27 SMAS/8.5 TBAM	4,120	1.1	

EXAMPLE 7**The Effect of Molecular Weight On AA/AMPS/Hydrophobe Terpolymers on the Inhibition of Calcium Tripolyphosphate**

Solutions containing AA/AMPS/Hydrophobe terpolymers were tested using the general screening method described above; the results are shown in Figure 5. It is observed that inhibition of calcium tripolyphosphate scale increases as the molecular weight of AMPS containing copolymers increases.

EXAMPLE 8**The effect of Various Polycarboxylates on (Poly)phosphate Film Inhibition Using Conditions (B)**

The (poly)phosphate film performance for a solution containing 15g/ dosagewash of 77AA/23AMPS (Mw 4,500) copolymer was compared against that for a control solution without polymer, and two comparative solutions, one containing 70AA/30MAL (Mw 30,000), and the other containing 100%-pAA (Mw 4,500). In all cases, wash conditions (B) were used. The results are shown in Figure 6 and indicate a dramatic increase in (poly)phosphate scale inhibition using the copolymer comprising 77AA/23AMPS as compared with the control and comparative samples.

Claims

1. Method of controlling (poly)phosphate scale in aqueous systems comprising treating the aqueous system with at least one copolymer comprising the following monomers in polymerized form:-

- (I) 50-98% by weight of one or more weak acid;
- (II) 2-50% by weight of one or more strong acid;
- (III) 0-30% by weight of one or more monoethylenically unsaturated C₄-C₈ dicarboxylic acid; and
- (IV) 0-30% by weight of one or more monoethylenically unsaturated monomers polymerizable with (I), (II), and (III);

wherein the total of monomers (I), (II), (III) and (IV) equals 100% by weight of copolymer.

2. Method according to Claim 1 wherein the at least one copolymer comprises the following monomers in polymerized form:-

- (I) 50-98% by weight of one or more monoethylenically unsaturated C₃ to C₆ monocarboxylic acid;
- (II) 2-50% by weight of one or more unsaturated sulphonic acid;
- (III) 0-30% by weight of one or more monoethylenically unsaturated C₄ to C₈ dicarboxylic acid;
- (IV) 0-30% by weight of one or more monoethylenically unsaturated monomer polymerizable with (I), (II) and (III); wherein the total of monomers (I), (II), (III) and (IV) equals 100% by weight of the copolymer.

3. Method according to Claim 1 or 2 wherein the copolymer comprises the following monomers in polymerized form:-

- (I) 50-90% by weight of one or monoethylenically unsaturated C₃-C₆ monocarboxylic acid;
- (II) 10-50% by weight of unsaturated sulphonic acid;
- (III) 0-30% by weight of one or more monomethylenically unsaturated C₄-C₈ dicarboxylic acid; and
- (IV) 0-30% by weight of one or more monoethylenically unsaturated monomer polymerizable with (I), (II) and (III), wherein the total of monomers (I), (II) (III) and (IV) equals 100% by weight of the copolymer.

4. Method according to any of Claims 1, 2 or 3 wherein the copolymer comprises the following monomers in polymerized form:-

- (I) 60-90% by weight of one or monoethylenically unsaturated C₃-C₆ monocarboxylic acid
- (II) 10-40% by weight of unsaturated sulphonic acid;
- (III) 0-30% by weight of one or more monoethylenically unsaturated C₄-C₈ dicarboxylic acid; and
- (IV) 0-30% by weight of one or more monoethylenically unsaturated monomer polymerizable with (I), (II) and (III), wherein the total of monomers (I), (II) (III) and (IV) equals 100% by weight of the copolymer.

5. Method according to any preceding Claim wherein the monoethylenically unsaturated C₃-C₆ monocarboxylic acid is one or more (meth)acrylic acid.

6. Method according to any preceding Claim wherein the unsaturated sulphonic acid monomer is one or more of the following: 2-acrylamido methyl-1-propanesulphonic acid, 2-methacrylicamido-2-methyl-1-propanesulphonic acid, 3-methacrylamido-2-hydroxy-propanesulphonic acid, allylsulphonic acid, methallylsulphonic acid, allyloxybenzenesulphonic acid, methallyloxybenzenesulphonic acid, 2-hydroxy-3-(2-propenyloxy)propanesulphonic acid, 2-methyl-2-propene-1-sulphonic acid, styrene sulphonic acid, vinylsulphonic acid, 3-sulphopropyl acrylate, 3-sulpho-

propyl methacrylate, sulphomethylacrylamide, sulphomethylmethacrylamide, and water soluble salts thereof.

7. Method according to any preceding Claim wherein the monoethylenically unsaturated C₄-C₈ dicarboxylic acid is preferably maleic acid, and the monoethylenically unsaturated monomer polymerizable with (I), (II) and (III) is selected from one or more of C₁-C₄ alkyl esters of (meth)acrylic acid; C₁-C₄ hydroxalkyl esters of (meth)acrylic acid; acrylamide; alkyl substituted acrylamide; N,N-dialkyl substituted acrylamides; sulphonated alkyl acrylamides; vinylphosphonic acid; vinyl acetate; allyl alcohols; sulphonated allyl alcohols; styrene and similar monomers; acrylonitrile; N-vinylpyrrolidone; N-vinylformamide; N-Vinylimidazole; and N-vinylpyridine.

8. Method according to any of Claims 1-7 wherein the weight average molecular weight of the copolymer according to the present invention is from 3,000 to 50,000 and preferably from 4500 to 35,000.

9. Detergent formulation comprising at least one copolymer comprising polymerized units of the following monomers:

- (I) 50-98% by weight of one or more monoethylenically unsaturated C₃ to C₆ monocarboxylic acid;
- (II) 2-50% by weight of one or more unsaturated sulphonic acid;
- (III) 0-30% by weight of one or more monoethylenically unsaturated C₄ to C₈ dicarboxylic acid;
- (IV) 0-30% by weight of one or more monoethylenically unsaturated monomer polymerizable with (I), (II) and (III);

wherein the total of monomers (I), (II), (III) and (IV) equals 100% by weight of the copolymer.

10. Use of a copolymer comprising: the following monomers in polymerized form:-

- (I) 50-98% by weight of one or more weak acid;
- (II) 2-50% by weight of one or more strong acid;
- (III) 0-30% by weight of one or more monoethylenically unsaturated C₄-C₈ dicarboxylic acid; and
- (IV) 0-30% by weight of one or more monoethylenically unsaturated monomers polymerizable with (I), (II), and (III);

wherein the total of monomers (I), (II), (III) and (IV) equals 100% by weight of copolymer as a builder in detergent formulations.

11. Use of a copolymer comprising one or more of the following monomers in polymerized form:-

- (I) 50-98% by weight of one or more weak acid;
- (II) 2-50% by weight of one or more strong acid;
- (III) 0-30% by weight of one or more monoethylenically unsaturated C₄-C₈ dicarboxylic acid; and
- (IV) 0-30% by weight of one or more monoethylenically unsaturated monomers polymerizable with (I), (II), and (III);

wherein the total of monomers (I), (II), (III) and (IV) equals 100% by weight of copolymer in machine dish-washing and/or laundry detergent formulations.

12. Method, detergent formulation or use according to any preceding Claim wherein the copolymer comprises:-

- I) 77 parts by weight of the copolymer of (meth)acrylic acid; and
- II) 23 parts by weight of the copolymer of 2-acrylamido-2-propane sulphonic acid;
- III) 0-30 parts by weight of one or more monoethylenically unsaturated C₄-C₈ dicarboxylic acid; and
- IV) 0-30 parts by weight of one or more monoethylenically unsaturated monomer polymerizable with (I), (II) and (III), wherein the total of monomers (I), (II), (III) and (IV) equals 100% by weight of the polymer.

Figure 1. Inhibition of Calcium Tripolyphosphate
as a Function of AMPS Comonomer
Concentration/Water Hardness




Figure 2. Inhibition of Calcium Tripolyphosphate as a Function of AMPS Comonomer Concentration, Molecular Weight and Water Hardness




Figure 3. Inhibition of Calcium Triphosphate as a Function of Maleic Comonomer Concentration, Molecular Weight and Water Hardness




Figure 4. The Inhibition of Calcium Tripolyphosphate
by an AMPS Containing Terpolymer
as a Function of a 'Hydrophobic' Comonomer





Figure 5. The Inhibition of Calcium Tripolyphosphate
by an AMPS Containing Terpolymer
as a Function of Molecular Weight



**Figure 6. Effect of Various Polycarboxylates
on Film Inhibition
Detergent Formula #1**

